

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	19550	(709/205,206,207,223).CQLS.	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/15 12:47
L2	13	I1 and tuple near3 field same value and (@ad<="20030408" or @rlad<="20030408")	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/15 12:47
L3	0	I1 and tuple with template with post\$4 and (@ad<="20030408" or @rlad<="20030408")	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/15 12:48
L4	41	I1 and template with post\$4 and (@ad<="20030408" or @rlad<="20030408")	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/15 12:48
L5	0	I1 and template with post\$4 and tuple and (@ad<="20030408" or @rlad<="20030408")	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/15 12:48
L11	296	(717/144).CQLS.	US-PGPUB; USPAT; USOCR; FFRS; EPO; DERWENT; IBM_TDB	OR	OFF	2009/12/15 12:51
S1	4	((("5692193") or ("6647432"))).PN.	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/21 10:40
S2	32	Event near2 heap and @ad<="20030408"	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/06 10:34

S3	22	tuple\$space and @ad<="20030408"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 10:44
S4	0	tuple\$space same heap and @ad<="20030408"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 10:44
S5	3	tuple\$space and heap and @ad<="20030408"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 10:44
S6	2	("5826015").FN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/12 16:31
S7	6591	(709/205,206,207).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/12 16:33
S8	32	Event near2 heap and @ad<="20030408"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/12 16:33
S9	0	S7 and S8	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/12 16:33
S10	3449	711/100	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/12 16:33
S11	1	S10 and "Event Heap"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/12 16:34

S12	0	S7 and "Event Heap"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/12 16:34
S13	10	(US-20020026471-\$ or US-20020161907-\$ or US-20020194421-\$).did. or (US-6360217-\$ or US-6647432-\$ or US-5692193-\$ or US-5745703-\$ or US-6594774-\$ or US-6751619-\$ or US-6901441-\$).did.	US-PGPUB; USPAT	OR	OFF	2007/09/13 18:09
S14	52087	re\$start or re\$connect and S13	US-PGPUB; USPAT	OR	OFF	2007/09/13 18:10
S15	1	(re\$start or re\$connect) and S13	US-PGPUB; USPAT	OR	OFF	2007/09/13 18:10
S16	248	(re\$start or re\$connect) same FIFO and @ad<="20030408"	US-PGPUB; USPAT	OR	OFF	2007/09/13 18:11
S17	9	(re\$start or re\$connect) same FIFO and tuple\$5 and @ad<="20030408"	US-PGPUB; USPAT	OR	OFF	2007/09/13 18:12
S18	0	automatic with re\$connect\$4 same FIFO and tuple\$5 and @ad<="20030408"	US-PGPUB; USPAT	OR	OFF	2007/09/13 18:12
S19	0	automatic\$4 with re\$connect\$4 same FIFO and tuple\$5 and @ad<="20030408"	US-PGPUB; USPAT	OR	OFF	2007/09/13 18:13
S20	3	automatic\$4 with re\$connect\$4 and tuple\$6 and @ad<="20030408"	US-PGPUB; USPAT	OR	OFF	2007/09/13 18:16
S21	482	FIFO and tuple\$6 and @ad<="20030408"	US-PGPUB; USPAT	OR	OFF	2007/09/13 18:16
S22	42	FIFO same tuple\$6 and @ad<="20030408"	US-PGPUB; USPAT	OR	OFF	2007/09/13 18:16
S23	2	("20040243663").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/05/22 13:08
S24	25	tuplespace and (@ad<="20030408" or @rlad<="20030408")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/22 13:53
S25	2	tuplespace same workspace and (@ad<="20030408" or @rlad<="20030408")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/22 14:28

S26	6	tuplespace same template and (@ad<="20030408" or @rlad<="20030408")	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/22 14:32
S27	15	tuplespace and template and (@ad<="20030408" or @rlad<="20030408")	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/22 14:41
S28	9	S27 not S26	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/22 14:41
S29	2	("20040243663").PN.	US-PGPUB; USPAT; USOCR; FFRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/08/27 17:48
S30	25	tuplespace and (@ad<="20030408" or @rlad<="20030408")	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/27 17:51
S31	0	un\$order near3 name near3 field and (@ad<="20030408" or @rlad<="20030408")	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/27 17:52
S32	3	un\$order with field and (@ad<="20030408" or @rlad<="20030408")	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/27 17:53
S33	2	("20040243663").PN.	US-PGPUB; USPAT; USOCR; FFRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/10/24 12:01
S34	38	event adj2 heap and (@ad<="20030408" or @rlad<="20030408")	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/16 13:12

S35	3	event adj2 heap same tuple \$4space and (@ad<="20030408" or @rlad<="20030408")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/16 13:12
S36	35	S34 not S35	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/16 13:14
S37	89	event near3 heap and (@ad<="20030408" or @rlad<="20030408")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/14 10:19
S38	1	event near3 heap same template near5 value and (@ad<="20030408" or @rlad<="20030408")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/14 10:19
S39	1	event near3 heap same template and (@ad<="20030408" or @rlad<="20030408")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/14 10:19
S40	2	event near3 heap and template and (@ad<="20030408" or @rlad<="20030408")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/14 10:22
S41	89	event near3 heap and (@ad<="20030408" or @rlad<="20030408")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/14 14:49
S42	0	tuple same (post and template) near3 value and (@ad<="20030408" or @rlad<="20030408")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/14 14:49
S43	0	tuple same (post same template) near3 value and (@ad<="20030408" or @rlad<="20030408")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/14 14:50

S44	0	tuple same post same template same value and (@ad<="20030408" or @rlad<="20030408")	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/14 14:50
S45	4	tuple same post\$4 same template and (@ad<="20030408" or @rlad<="20030408")	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/14 14:50
S46	9934	tuple and (@ad<="20030408" or @rlad<="20030408")	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/14 14:59
S47	455	tuple near4 space and (@ad<="20030408" or @rlad<="20030408")	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/14 14:59
S48	73	(tuple near4 space).ab,ti. and (@ad<="20030408" or @rlad<="20030408")	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/14 15:03
S49	2	(tuple near4 space).ab,ti. and wildcard and (@ad<="20030408" or @rlad<="20030408")	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/14 15:03
S50	27	(tuple near4 space).ab,ti. and post\$4 and (@ad<="20030408" or @rlad<="20030408")	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/14 15:21
S51	7	(tuple near4 space).ab,ti. and post\$4 and template and (@ad<="20030408" or @rlad<="20030408")	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/14 15:22
S52	529	tuple near3 field and (@ad<="20030408" or @rlad<="20030408")	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/14 15:26

S53	223	tuple near3 field same value and (@ad<="20030408" or @rlad<="20030408")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/14 15:26
S54	1	tuple near3 field same post and (@ad<="20030408" or @rlad<="20030408")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/14 15:26
S55	15	tuple near3 field same template and (@ad<="20030408" or @rlad<="20030408")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/14 15:26
S56	16	tuple with template near3 match \$4 and (@ad<="20030408" or @rlad<="20030408")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/15 09:50
S57	5	tuple with template near3 match \$4 and post\$4 and (@ad<="20030408" or @rlad<="20030408")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/15 09:53
S58	4	tuple with match\$4 with post\$4 and (@ad<="20030408" or @rlad<="20030408")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/15 09:54
S59	0	tuple with match\$4 with post\$4 same template and (@ad<="20030408" or @rlad<="20030408")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/15 09:56

EAST Search History (Interference)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L6	10459	(709/205,206,207,223).CQLS.	USPAT; UPAD	OR	OFF	2009/12/15 12:49
L7	4	"I1" and template with post\$4 and tuple and (@ad<="20030408" or @rlad<="20030408")	USPAT; UPAD	OR	ON	2009/12/15 12:49

L8	0	16 and template with post\$4 and tuple and (@ad<="20030408" or @rlad<="20030408")	USPAT; UPAD	OR	ON	2009/12/15 12:49
L9	7804	(707/10).CQLS.	USPAT; UPAD	OR	OFF	2009/12/15 12:50
L10	1	19 and template with post\$4 and tuple and (@ad<="20030408" or @rlad<="20030408")	USPAT; UPAD	OR	ON	2009/12/15 12:50
L12	218	(717/144).CQLS.	USPAT; UPAD	OR	OFF	2009/12/15 12:51
L13	0	12 and template with post\$4 and tuple and (@ad<="20030408" or @rlad<="20030408")	USPAT; UPAD	OR	ON	2009/12/15 12:51
L14	17	12 and tuple and (@ad<="20030408" or @rlad<="20030408")	USPAT; UPAD	OR	ON	2009/12/15 12:52
L16	496	(718/101).CQLS.	USPAT; UPAD	OR	OFF	2009/12/15 12:55
L17	0	16 and template with post\$4 and tuple and (@ad<="20030408" or @rlad<="20030408")	USPAT; UPAD	OR	ON	2009/12/15 12:55
L18	6	16 and tuple and (@ad<="20030408" or @rlad<="20030408")	USPAT; UPAD	OR	ON	2009/12/15 12:55
L19	0	16 and tuple same template and (@ad<="20030408" or @rlad<="20030408")	USPAT; UPAD	OR	ON	2009/12/15 12:56

12/15/2009 1:15:15 PM

C:\Documents and Settings\btiv\My Documents\EAST\Workspaces
10821756_Event_interactive_reestablish_connection.wsp